

GRAIN STOWAGE FACTORS

KG PER HL WEIGHT	CUBIC FEET PER TONNE	CUBIC METRES PER TONNE
40.0	88.3	2.50
41.0	86.2	2.44
42.0	84.1	2.38
43.0	82.2	2.33
44.0	80.3	2.27
45.0	78.5	2.22
46.0	76.8	2.17
47.0	75.2	2.13
48.0	73.6	2.08
49.0	72.1	2.04
50.0	70.7	2.00
51.0	69.3	1.96
52.0	68.0	1.92
53.0	66.7	1.89
54.0	65.4	1.85
55.0	64.2	1.82
56.0	63.1	1.79
57.0	62.0	1.75
58.0	60.9	1.72
59.0	59.9	1.69
60.0	58.9	1.67
61.0	57.9	1.64
62.0	57.0	1.61
63.0	56.1	1.59
64.0	55.2	1.56
65.0	54.4	1.54
66.0	53.5	1.52
67.0	52.7	1.49
68.0	52.0	1.47
69.0	51.2	1.45
70.0	50.5	1.43
71.0	49.8	1.41
72.0	49.1	1.39
73.0	48.4	1.37
74.0	47.8	1.35
75.0	47.1	1.33
76.0	46.5	1.32
77.0	45.9	1.30
78.0	45.3	1.28
79.0	44.7	1.27
80.0	44.2	1.25
81.0	43.6	1.23
82.0	43.1	1.22
83.0	42.6	1.20
84.0	42.1	1.19
85.0	41.6	1.18

1 cubic foot - 0.0283 cubic metres.

1 cubic metre - 10 hectolitres.

Cubic feet is used for the stowage factor for vessels