SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 2, March 2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product form	: Substance	
Trade name	: Nitram [®]	
IUPAC name	: Nitric acid ammonium salt	
EC no	: 229-347-8	
CAS No	: 6484-52-2	
REACH registration No	: 01-2119490981-27	
Formula	: NH ₄ .NO ₃	
Synonyms	: Ammonium(I) nitrate (1:1) / Nitric acid ammonium salt / Nitric acid, ammonium salt / Nitric acid ammonium salt (1:1) / Ammonium nitrates / Ammoniumnitrate	
1.2. Relevant identified uses of the	substance or mixture and uses advised against	

1.2.1. Relevant identified uses

Main use category	: Fertiliser
Title	Use descriptors
Professional use (ES Ref.: 2)	SU1, SU2a, SU10, SU19, SU23, PC11, PC12, PC37, PROC1, PROC2, PROC3, PROC5, PROC8a, PROC8b, PROC9, PROC11, PROC15, PROC19, ERC8b, ERC8e
Manufacture of substances (ES Ref.: 1)	PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC9, PROC14, PROC15, ERC1

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available

1.3.	Details of the supplier of the safety dat	a sheet	
CF Fe	tilisers UK Limited (formerly GrowHow UK Lt	d)	
Ince			
CH2 4	B Chester - United Kingdom		
T: +44	(0) 151 357 2777		
F: +44	F: +44 (0) 151 357 1755		
E: info	@cffertilisers.co.uk		
1.4.	Emergency telephone number		
Eme	gency number	: +44 (0) 151 357 4029 (solids.sds@cffertilisers.co.uk) 24 hours	

SECTION 2: Hazards identification	on	
2.1. Classification of the substance	e or mixture	
Classification according to Regulation (Oxidising Solids, Category 3 Serious eye damage/eye irritation, Categor	H272	
Full text of H statements : see section 16		
Adverse physicochemical, human health No additional information available	and environmental effects	
2.2. Label elements		
Labelling according to Regulation (EC) I Hazard pictograms (CLP)	No. 1272/2008 [CLP]	
Signal word (CLP)	: Warning	
Hazard statements (CLP)	: H272 - May intensify fire; oxidiser H319 - Causes serious eye irritation	



 \leq

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 2, March 2016

Precautionary statements (CLP)

- : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
 - P220 Keep/Store away from clothing/.../combustible materials
 - P221 Take any precaution to avoid mixing with combustibles/..
 - P264 Wash hands, forearms and face thoroughly after handling
 - P280 Wear protective gloves/protective clothing/eye protection/face protection
 - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Other hazards 2.3.

No additional information available

SECTION 3: Composition/information on ingredients		
3.1. Substance		
Name : Am	monium nitrate	
CAS No : 648	34-52-2	
EC no : 229	-347-8	
Name	Product identifier	%
Magnesium nitrate	(CAS No) 10377-60-3 (EC no) 233-826-7 (REACH-no) 01-2119491164-38	< 1.2

Full text of H-statements: see section 16

```
3.2.
         Mixture
```

```
Not applicable
```

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Unlikely route of exposure. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Wash off immediately with soap and plenty of water. In all cases of doubt, or when symptoms persist, seek medical advice.
First-aid measures after eye contact	: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms persist call a doctor.
First-aid measures after ingestion	: Do NOT induce vomiting. If swallowed, rinse mouth with water (only if the person is conscious). In all cases of doubt, or when symptoms persist, seek medical advice.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries	: Methemoglobinemia.
4.3. Indication of any immediate medica	attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Flood with plenty of water. Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Dry chemical is not recommended. Foam.
5.2. Special hazards arising from the sul	bstance or mixture
Fire hazard	: Oxidizer. Could ignite combustibles (wood, paper, oil, clothing, etc.).
Explosion hazard	: Risk of explosion if heated under confinement. May intensify fire; oxidiser.
Hazardous decomposition products in case of fire	: Nitrogen oxides. Toxic fumes may be released. Ammonia. Amines.
5.3. Advice for firefighters	
Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. May cause or intensify fire; oxidizer.
Protective equipment for firefighters	: Wear suitable protective clothing, gloves and eye/face protection. In case of fire: Wear self- contained breathing apparatus.



Ę

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 2, March 2016

SECT	ION 6: Accidental re	elease measur	es	
6.1.	Personal precautions,	protective equip	ment and emergency procedures	
6.1.1.	For non-emergency pe	ersonnel		
Protective equipment		:	: Wear suitable protective clothing, gloves and eye or face protection. Dust production: dust mask with filter type P2.	
Emerg	gency procedures	:	Immediately contact emergency perso contact with skin and eyes.	nnel. Evacuate area. Avoid generation of dust. Avoid
Measu	ures in case of dust release	e :	Dust production: dust mask with filter t	type P2. Mechanically ventilate the spillage area.
6.1.2.	For emergency respor	nders		
Protec	Protective equipment : Wear suitable protective clothing, gloves and eye/face protection. In case of fire: Wear scottained breathing apparatus. Dust production: dust mask with filter type P2.			
Emerg	gency procedures	:	Avoid generation of dust. Avoid contact	ct with skin and eyes. Evacuate area.
6.2.	Environmental precau	tions		
Avoid re	elease to the environment.	Notify authorities	f product enters sewers or public waters	S.
6.3.	Methods and material	for containment	and cleaning up	
For co	ontainment	:	Take up mechanically (sweeping, show	velling) and collect in suitable container for disposal.
Metho	ds for cleaning up	:	Do not absorb in sawdust, paper, cloth product for subsequent recycling.	n or other combustible absorbents. Keep the recovered
6.4.	Reference to other see	ctions		
Concer	ning personal protective ec	quipment to use, se	ee section 8.	
SECT	ION 7: Handling and	l storage		
7.1.	Precautions for safe h	andling		
Additio	Additional hazards when processed : May intensify fire; oxidiser.			
Preca	Precautions for safe handling : Keep away from combustible materials No smoking. Avoid generation of dust. Avoid breathing dust. Keep away from heat and direct sunlight.			
Hygiei	Hygiene measures : Wash contaminated clothing prior to re-use. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Use good personal hygiene practices. Contaminated work clothing should not be allowed out of the workplace.		handling. Use good personal hygiene practices.	
7.2.	Conditions for safe ste	orage, including a	any incompatibilities	
Storag	ge conditions	:	Store in a well-ventilated place. Keep	container tightly closed. Protect from sunlight.
Incom	Incompatible materials : Reducing agents. Acids. Strong alkalis. combustible materials. Powdered metals. chrom e.g. potassium chromate, potassium or sodium dichromate. Zinc. Copper.			
Heat a	and ignition sources	:	Keep away from open flames, hot surf	aces and sources of ignition.
Packa	Packaging materials : polypropylene. PE (polyethylene). Avoid : Copper. Zinc.		vid : Copper. Zinc.	
7.3.	Specific end use(s)			
No add	itional information available	e		
SECT	ION 8: Exposure co	ntrols/person	al protection	
8.1.	Control parameters			
Amr	nonium Nitrate (6484-52-	2)		
Czeo	ch Republic	Expoziční limity (PEL) (mg/m³)	10.0 mg/m³ (dust)
Amr	nonium Nitrate (6484-52-	2)		
	L/DMEL (Workers)			
Long	Long-term - systemic effects, dermal 21.3 mg/kg bodyweight/day			

37.6 mg/m³

11.1 mg/m³

0.45 mg/l

0.045 mg/l

12.8 mg/kg bodyweight/day

12.8 mg/kg bodyweight/day

PNEC (Water)

PNEC aqua (freshwater)

PNEC aqua (marine water)

Long-term - systemic effects, inhalation

DNEL/DMEL (General population)

Long-term - systemic effects,oral Long-term - systemic effects, inhalation

Long-term - systemic effects, dermal

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 2, March 2016

Ammonium Nitroto (C404 E0 0)	
Ammonium Nitrate (6484-52-2)	
PNEC aqua (intermittent, freshwater)	4.5 mg/l
PNEC (STP)	
PNEC sewage treatment plant	18 mg/l
8.2. Exposure controls	
Appropriate engineering controls	: Provide adequate ventilation to minimize dust concentrations.
Personal protective equipment	: Safety glasses. Gloves. Dust formation: dust mask.
Materials for protective clothing	: Wear suitable protective clothing. EN 14605
Hand protection	: In the event of contact with molten product : Insulated gloves. Wear suitable gloves tested to EN374. EN 407
Eye protection	: Chemical goggles or face shield with safety glasses. DIN EN 166
Respiratory protection	: Dust production: dust mask with filter type P2. Filtering Half-face mask (DIN EN 149). particle filter device (DIN EN 143). EN 405

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	chemical properties	
Physical state	: Solid	
Colour	: White. Transparent.	
Odour	: Odourless.	
Odour threshold	: No data available	
рН	: Acidic	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: 169 °C @1013hPa	
Freezing point	: No data available	
Boiling point	: > 210 °C	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: >= 210 °C	
Flammability (solid, gas)	: Non-flammable.	
Vapour pressure	: Negligible.	
Relative vapour density at 20 °C	: No data available	
Relative density	: 1.72 g/cm³ @ 20°C	
Solubility	: Water: > 100 g/l	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: Not explosive.	
Oxidising properties	: May cause or intensify fire; oxidizer.	
Explosive limits	: No data available	
0.2 Other information		

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

Page 4 of 19



SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 2, March 2016

10.3. Possibility of hazardous reactions

May cause or intensify fire; oxidiser. Oxidizer. Could ignite combustibles (wood, paper, oil, clothing, etc.).

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

10.5. Incompatible materials

Reducing agents. Acids. alkalis. Combustible materials. Metals in powder form. chromates, e.g. potassium chromate, potassium or sodium dichromate. Zinc. Copper. Copper alloys. Chlorates.

10.6. Hazardous decomposition products

Nitrogen oxides. Ammonia. Amines.

SECTION 11: Toxicological information		
1.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Ammonium Nitrate (6484-52-2)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rat	2980 mg/kg	
Magnesium nitrate (10377-60-3)		
LD50 oral rat	5440 mg/kg	
Skin corrosion/irritation	: Not classified	
	pH: acidic	
Serious eye damage/irritation	: Causes serious eye irritation.	
	pH: acidic	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Ammonium Nitrate (6484-52-2)		
NOAEL (oral, rat)	> 1500 mg/kg bodyweight	
Specific target organ toxicity (repeated exposure)	: Not classified	
Ammonium Nitrate (6484-52-2)		
NOAEL (oral, rat, 90 days)	> 256 mg/kg bodyweight/day	
Aspiration hazard	: Not classified	

SECTION 12: Ecological information 12.1. Toxicity Ammonium Nitrate (6484-52-2) 447 mg/l 48h LC50 fish 1 LC50 other aquatic organisms 1 490 mg/l EC50 72h algae (1) 1700 mg/l Persistence and degradability 12.2. Ammonium Nitrate (6484-52-2) The methods for determining the biological degradability are not applicable to inorganic Persistence and degradability substances. 12.3. **Bioaccumulative potential** Ammonium Nitrate (6484-52-2) Bioaccumulative potential No bioaccumulation. 12.4. Mobility in soil Ammonium Nitrate (6484-52-2) Mobility in soil Soluble in water Page 5 of 19



SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

	Revision 2, March 2016
12.5. Results of PBT and vPvB assessme	ent
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideratio	ns
13.1. Waste treatment methods	
No additional information available	
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / A	
14.1. UN number	
UN-No. (All modes)	: 2067
14.2. UN proper shipping name	
Proper Shipping Name (All modes)	: AMMONIUM NITRATE BASED FERTILIZER
14.3. Transport hazard class(es)	
All modes	
Transport hazard class(es)	: 5.1
Danger labels	: 5.1
	5.1
14.4. Packing group	
Packing group	: 111
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
- Overland transport	
Classification code (ADR)	: 02
Special provisions (ADR)	: 186, 306, 307
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR) Transport category (ADR)	: E1 : 3
Hazard identification number (Kemler No.)	: 50
Orange plates	50 2067
Tunnel restriction code (ADR)	: E
EAC code	· E : 1Z
- Transport by sea	
Special provisions (IMDG)	: 186, 306, 307, 900, 967
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
EmS-No. (Fire)	: F-H
EmS-No. (Spillage) Stowage category (IMDG)	: S-Q : C
Page 6 of 19	



SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 2, March 2016

MFAG-No: 140- Air transportPCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y546PCA packing instructions (IATA): 559CAO packing instructions (IATA): 563Special provisions (IATA): A64, A79, A89- Inland waterway transportClassification code (ADN): 02Special provisions (IADN): 5 kgExcepted quantities (ADN): 5 kgExcepted quantities (ADN): 186, 306, 307Limited quantities (ADN): 02Special provisions (RID): 02Special provisions (RID): 02Special provisions (RID): 186, 306, 307Limited quantities (RID): 02Special provisions (RID): 186, 306, 307Limited quantities (RID): 02Special provisions (RID): 02Special provisions (RID): 186, 306, 307Limited quantities (RID): 5 kg	Properties and observations (IMDG)	: Crystals, granules or prills. Wholly or partly soluble in water. Supporters of combustion. A major fire aboard a ship carrying these substances may involve a risk of explosion in the event of contamination (e.g. by fuel oil) or strong confinement. An adjacent detonation may also involve a risk of explosion. If heated strongly, decompose, giving off toxic gases and gases which support combustion. Transport of AMMONIUM NITRATE liable to self-heating sufficient to initiate decomposition is prohibited.
PCA Excepted quantities (IATA) E E1 PCA Limited quantities (IATA) : Y546 PCA packing instructions (IATA) : 559 CAO packing instructions (IATA) : 563 Special provisions (IATA) : A64, A79, A89 - Inland waterway transport - Classification code (ADN) : 02 Special provisions (ADN) : 186, 306, 307 Limited quantities (ADN) : 5 kg Excepted quantities (ADN) : E1 Classification code (RID) : 02 Special provisions (ADN) : 186, 306, 307 Limited quantities (ADN) : 2 Special provisions (ADN) : 2 Image: Classification code (RID) : 2 Special provisions (RID) : 02 Special provisions (RID) : 186, 306, 307 Limited quantities (RID) : 186, 306, 307	MFAG-No	: 140
PCA Limited quantities (IATA): Y546PCA packing instructions (IATA): 559CAO packing instructions (IATA): 563Special provisions (IATA): A64, A79, A89- Inland waterway transportClassification code (ADN): 02Special provisions (ADN): 186, 306, 307Limited quantities (ADN): 5 kgExcepted quantities (ADN): E1- Rail transportClassification code (RID): 02Special provisions (RID): 5 kgLimited quantities (RID): 5 kg	- Air transport	
PCA packing instructions (IATA): 559CAO packing instructions (IATA): 563Special provisions (IATA): A64, A79, A89- Inland waterway transportClassification code (ADN): O2Special provisions (ADN): 186, 306, 307Limited quantities (ADN): 5 kgExcepted quantities (ADN): E1Classification code (RID): O2Special provisions (RID): 186, 306, 307Limited quantities (RID): 5 kgClassification code (RID): 5 kg	PCA Excepted quantities (IATA)	: E1
CAO packing instructions (IATA): 563Special provisions (IATA): A64, A79, A89- Inland waterway transportClassification code (ADN): O2Special provisions (ADN): 186, 306, 307Limited quantities (ADN): 5 kgExcepted quantities (ADN): E1- Rail transportClassification code (RID): O2Special provisions (RID): 5 kgLimited quantities (RID): 5 kg	PCA Limited quantities (IATA)	: Y546
Special provisions (IATA): A64, A79, A89- Inland waterway transportClassification code (ADN): O2Special provisions (ADN): 186, 306, 307Limited quantities (ADN): 5 kgExcepted quantities (ADN): E1- Rail transportClassification code (RID): O2Special provisions (RID): 186, 306, 307Limited quantities (RID): 5 kg	PCA packing instructions (IATA)	: 559
- Inland waterway transportClassification code (ADN): O2Special provisions (ADN): 186, 306, 307Limited quantities (ADN): 5 kgExcepted quantities (ADN): E1- Rail transportClassification code (RID): O2Special provisions (RID): 186, 306, 307Limited quantities (RID): 5 kg	CAO packing instructions (IATA)	: 563
Classification code (ADN): O2Special provisions (ADN): 186, 306, 307Limited quantities (ADN): 5 kgExcepted quantities (ADN): E1Classification code (RID): O2Special provisions (RID): 02Special provisions (RID): 186, 306, 307Limited quantities (RID): 5kg	Special provisions (IATA)	: A64, A79, A89
Special provisions (ADN): 186, 306, 307Limited quantities (ADN): 5 kgExcepted quantities (ADN): E1- Rail transportClassification code (RID): O2Special provisions (RID): 186, 306, 307Limited quantities (RID): 5kg	- Inland waterway transport	
Limited quantities (ADN) : 5 kg Excepted quantities (ADN) : E1 - Rail transport Classification code (RID) : O2 Special provisions (RID) : 186, 306, 307 Limited quantities (RID) : 5kg	Classification code (ADN)	: 02
Excepted quantities (ADN) : E1 - Rail transport Classification code (RID) : O2 Special provisions (RID) : 186, 306, 307 Limited quantities (RID) : 5kg	Special provisions (ADN)	: 186, 306, 307
- Rail transport Classification code (RID) : O2 Special provisions (RID) : 186, 306, 307 Limited quantities (RID) : 5kg	Limited quantities (ADN)	: 5 kg
Classification code (RID): O2Special provisions (RID): 186, 306, 307Limited quantities (RID): 5kg	Excepted quantities (ADN)	: E1
Special provisions (RID): 186, 306, 307Limited quantities (RID): 5kg	- Rail transport	
Limited quantities (RID) : 5kg	Classification code (RID)	: 02
	Special provisions (RID)	: 186, 306, 307
Example descentifiers (PID)	Limited quantities (RID)	: 5kg
Excepted quantities (KID) : E1	Excepted quantities (RID)	: E1

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions Ammonium Nitrate is not on the REACH Candidate List Ammonium Nitrate is not on the REACH Annex XIV List

15.1.2. National regulations

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on the Canadian DSL (Domestic Substances List) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on INSQ (Mexican national Inventory of Chemical Substances) Listed on CICR (Turkish Inventory and Control of Chemicals)

Germany

VwVwS Annex reference	: Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 1 or 2; ID No. 212)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting	: The substance is not listed
giftige stoffen – Borstvoeding	



Page 7 of 19

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 2, March 2016

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: The substance is not listed

15.2. Chemical safety assessment

For this substance a chemical safety assessment has been carried out see attached exposure scenario

SECTION 16: Other information

Abbreviations and acronyms:

ADDIEVIALIONS and	a dolohymo.		
	CAS - Chemical Abstracts Service		
	CLP - Classification, Labelling and Packaging		
	EC - European Community		
	GHS - Globally Harmonised System		
	REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals		
	TLV- Threshold Limit Value		
	STEL- Short-Term Exposure Limit		
	vPvB - Very Persistent and Very Bioaccumulative		
DNEL	Derived-No Effect Level		
PBT	Persistent Bioaccumulative Toxic		
EC50	Median effective concentration		
LOAEL	Lowest Observed Adverse Effect Level		

Other information

: The information presented in this Safety Data Sheet is based on current knowledge and is believed to be complete and accurate. It describes the product for the purposes of health, safety and environment requirements only and shall, therefore, be used only as a guide. The data refers to a specific product and may not be valid for combined uses with other products. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Supplier of this SDS shall not be responsible for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product.

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Ox. Sol. 3	Oxidising Solids, Category 3	
H272	May intensify fire; oxidiser	
H319	Causes serious eye irritation	
ERC1	Manufacture of substances	
ERC8b	Wide dispersive indoor use of reactive substances in open systems	
ERC8e	Wide dispersive outdoor use of reactive substances in open systems	
PC11	Explosives	
PC12	Fertilizers	
PC37	Water treatment chemicals	
PROC1	Use in closed process, no likelihood of exposure	
PROC11	Non industrial spraying	
PROC14	Production of preparations or articles by tabletting, compression, extrusion, pelletisation	
PROC15	Use as laboratory reagent	
PROC19	Hand-mixing with intimate contact and only PPE available	
PROC2	Use in closed, continuous process with occasional controlled exposure	
PROC3	Use in closed batch process (synthesis or formulation)	
PROC4	Use in batch and other process (synthesis) where opportunity for exposure arises	
PROC5	Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)	
PROC8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities	



 \leq

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 2, March 2016

PROC8b	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
PROC9	Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
SU1	Agriculture, forestry, fishery
SU10	Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
SU19	Building and construction work
SU23	Electricity, steam, gas water supply and sewage treatment
SU2a	Mining, (including offshore industries)

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product



SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 2, March 2016

Annex to the Safety Data Sheet

Product exposure scenario(s)			
ES Type	ES title		
Worker	Manufacture of substances		
Worker	Worker Professional use		

1. Exposure scenario 1

	ES Ref.: 1		
	ES Type: Worker		
PROC1, PROC2,	PROC3, PROC4, PROC8a, PROC8b, PR	OC9, PROC14, PROC15	
ERC1			
		intenance and loading (neutring	
Used ECETOC TR	RA model		
agement meas	Uras		
	-		
100 %			
Solid, low of	dustiness		
Covers dai differently)	ly exposures up to 8 hours (unless stated		
ers Indoor			
Exposed s	kin surface assumed:	One hand face (240 cm2)	
		- 1	
	Use in closed process		
General ve	General ventilation		
s, Occupation	nal exposure controls		
	0	(efficacy 90%)	
Chemical g			
er exposure (PROC	(2)		
tinuous process with	occasional controlled exposure		
100 %			
Solid, low of	Solid, low dustiness		
Covers dai differently)			
ers Indoor			
Exposed s	posed skin surface assumed: Two hands face (480 cm2)		
		1	
	ERC1 Manufacture of su Includes recycling marine vessel/bar Used ECETOC TF agement meass er exposure (PROO ess, no likelihood of I00 % Solid, low of Covers dai differently) ers Indoor Exposed s vel Use in closs wel Use in closs er exposure (PROO tinuous process with I00 % Solid, low of Covers dai differently ers Indoor Exposed s vel Use in closs vel Use in clos	ES Type: Worker PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PR ERC1 Manufacture of substance or use as an intermediate, process Includes recycling/ recovery, material transfers, storage, mamarine vessel/barge, road/rail car and bulk container) Used ECETOC TRA model agement measures er exposure (PROC1) ess, no likelihood of exposure 100 % Solid, low dustiness Covers daily exposures up to 8 hours (unless stated differently) ers Indoor Exposed skin surface assumed: vel Use in closed process General ventilation s, Occupational exposure controls Wear suitable gloves tested to EN374 Chemical goggles or safety glasses er exposure (PROC2) tinuous process with occasional controlled exposure 100 % Solid, low dustiness 100 % Solid, low dustiness	



SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Technical conditions and measures to control dispersion from source towards the worker	General ventilation		
Organisational measures to prevent /limit releases, dispersion and exposure	Occupational exposure controls		
Conditions and measures related to personal	Wear suitable gloves tested to EN374	(efficacy 90%)	
protection, hygiene and health evaluation	Chemical goggles or safety glasses		
.1.3 Contributing scenario controlling worker exp	oosure (PROC3)		
	ess (synthesis or formulation)		
Product characteristics			
Concentration of substance in product	100 %		
Dustiness	Solid, low dustiness		
Operational conditions			
Frequency and duration of use	Covers daily exposures up to 8 hours (unless stated differently)		
Other given operational conditions affecting workers	Indoor		
exposure	Exposed skin surface assumed:	One hand face (240 cm2)	
Risk management measures			
Technical conditions and measures at process level (source) to prevent release	Use in closed batch process (synthesis or formulation). With occasional controlled exposure		
Technical conditions and measures to control dispersion from source towards the worker	General ventilation		
Organisational measures to prevent /limit releases, dispersion and exposure	Occupational exposure controls		
Conditions and measures related to personal protection, hygiene and health evaluation	Wear suitable gloves tested to EN374 Chemical goggles or safety glasses	(efficacy 90%)	
1.4 Contributing scenario controlling worker exp	posure (PROC4)		
	rocess (synthesis) where opportunity for exposure arises		
	rocess (synthesis) where opportunity for exposure anses		
Product characteristics			
Concentration of substance in product	100 %		
Dustiness	Solid, low dustiness		
Operational conditions			
Frequency and duration of use	Covers daily exposures up to 8 hours (unless stated differently)		
Other given operational conditions affecting workers	Indoor		
exposure	Exposed skin surface assumed:	Two hands face (480 cm2)	
Risk management measures			
Technical conditions and measures at process level (source) to prevent release	Semi-closed process with occasional controlled exposure		
Technical conditions and measures to control dispersion from source towards the worker	General ventilation		
Organisational measures to prevent /limit releases, dispersion and exposure	Occupational exposure controls		
Conditions and measures related to personal	Wear suitable gloves tested to EN374	(efficacy 90%)	
protection, hygiene and health evaluation	Chemical goggles or safety glasses		
1.5 Contributing scenario controlling worker exp PROC8a Transfer of substance or	preparation (charging/discharging) from/to vessels/large	containers at non dedicated	
Product characteristics	proportion (ond ging/doord ging/ non/to vosool/large		
	100 %		
Concentration of substance in product	100 %		
Dustiness	Solid, low dustiness		
Operational conditions			
Frequency and duration of use	Covers daily exposures up to 8 hours (unless stated differently)		
Other given operational conditions affecting workers	Indoor		
exposure	Exposed skin surface assumed: Two hands (960 cm2)		
age 11 of 19		S CF	

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 2, March 2016

Technical conditions and measures to control	General ventilation		
dispersion from source towards the worker			
Organisational measures to prevent /limit releases, dispersion and exposure	Occupational exposure controls		
Conditions and measures related to personal	Wear suitable gloves tested to EN374	(efficacy 90%)	
protection, hygiene and health evaluation	Chemical goggles or safety glasses		
.6 Contributing scenario controlling worker ex			
	r preparation (charging/discharging) from/to vessels/large	containers at dedicated facilitie	
Product characteristics	100 %		
Concentration of substance in product Dustiness			
	Solid, low dustiness		
Operational conditions			
Frequency and duration of use	Covers daily exposures up to 8 hours (unless stated differently)		
Other given operational conditions affecting workers	Indoor		
exposure	Exposed skin surface assumed:	Two hands (960 cm2)	
Risk management measures			
Technical conditions and measures at process level (source) to prevent release	Semi-closed process with occasional controlled exposure		
Technical conditions and measures to control dispersion from source towards the worker	General ventilation		
Organisational measures to prevent /limit releases, dispersion and exposure	Occupational exposure controls		
Conditions and measures related to personal	Wear suitable gloves tested to EN374	(efficacy 90%)	
protection, hygiene and health evaluation	Chemical goggles or safety glasses		
I.7 Contributing scenario controlling worker ex	posure (PROC9)		
PROC9 Transfer of substance or	preparation into small containers (dedicated filling line, in	cluding weighing)	
Product characteristics	· · · · ·		
Concentration of substance in product	100 %		
Dustiness	Solid, low dustiness		
Operational conditions	· ·		
Frequency and duration of use	Covers daily exposures up to 8 hours (unless stated		
	differently)		
Other given operational conditions affecting workers	Indoor		
exposure	Exposed skin surface assumed:	Two hands face (480 cm2)	
Risk management measures			
Technical conditions and measures at process level (source) to prevent release	Semi-closed process with occasional controlled exposure		
Technical conditions and measures to control dispersion from source towards the worker	General ventilation		
Organisational measures to prevent /limit releases, dispersion and exposure	Occupational exposure controls		
Conditions and measures related to personal protection, hygiene and health evaluation	Wear suitable gloves tested to EN374 Chemical goggles or safety glasses	(efficacy 90%)	
1	0.00).0		
.8 Contributing scenario controlling worker ex		action	
	ns or articles by tabletting, compression, extrusion, pelletis	SauUII	
Product characteristics			
Concentration of substance in product	100 %		
Dustiness	Solid, low dustiness		
Operational conditions Frequency and duration of use	Covers daily exposures up to 8 hours (unless stated differently)		

Indoor



 \leq

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 2, March 2016

Other given operational conditions affecting workers exposure		Exposed skin surface assumed:	Two hands face (480 cm2)	
Risk management measure	s			
Technical conditions and measures to control dispersion from source towards the worker		General ventilation		
Organisational measures to p dispersion and exposure	prevent /limit releases,	Occupational exposure controls		
Conditions and measures related to personal protection, hygiene and health evaluation		Wear suitable gloves tested to EN374 Chemical goggles or safety glasses	(efficacy 90%)	
1.9 Contributing scenar	io controlling worker exp	osure (PROC15)	·	
PROC15	Use as laboratory reagen	t		
Product characteristics				
Concentration of substance in product		100 %		
Dustiness		Solid, low dustiness		
Operational conditions		•		
Frequency and duration of us	Se	Covers daily exposures up to 8 hours (unless stated differently)		
Other given operational cond	litions affecting workers	Indoor		
exposure		Exposed skin surface assumed:	One hand face (240 cm2)	
Risk management measure	es			
Technical conditions and measures to control dispersion from source towards the worker		General ventilation		
Organisational measures to prevent /limit releases, dispersion and exposure		Occupational exposure controls		
Conditions and measures related to personal protection, hygiene and health evaluation		Wear suitable gloves tested to EN374 Chemical goggles or safety glasses	(efficacy 90%)	

3. Exposure estimation and reference to its source

3.1. Health

DNEL	Inhalation.: 37.6 mg/m ³						
	Dermal: 21.3 mg/kg bodyweight/day						
Contributing scenario	inhalation exposure mg/m ³	RCR	Dermal exposure mg/kg bodyweight/day	RCR	Sum RCR	Assessment method	
PROC1	0.01	0.000	0.003	0.000	0.000	Inhalation.: Used ECETOC TRA model	
						Dermal: Used ECETOC TRA model	
PROC2	0.01	0.000	0.137	0.006	0.006	Inhalation.: Used ECETOC TRA model	
						Dermal: Used ECETOC TRA model	
PROC3	0.1	0.003	0.069	0.003	0.006	Inhalation.: Used ECETOC TRA model	
						Dermal: Used ECETOC TRA model	
PROC4	0.5	0.013	0.686	0.032	0.045	Inhalation.: Used ECETOC TRA model	
						Dermal: Used ECETOC TRA model	
PROC8a	0.5	0.013	1.371	0.064	0.077	Inhalation.: Used ECETOC TRA model	
						Dermal: Used ECETOC TRA model	
PROC8b	0.1	0.003	1.371	0.064	0.067	Inhalation.: Used ECETOC TRA model	
						Dermal: Used ECETOC TRA model	
PROC9	0.1	0.003	0.686	0.032	0.035	Inhalation.: Used ECETOC TRA model	
						Dermal: Used ECETOC TRA model	



 \leq

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 2, March 2016

PROC14	0.1	0.003	0.343	0.016	0.019	Inhalation.: Used ECETOC TRA model
						Dermal: Used ECETOC TRA model
PROC15	0.1	0.003	0.034	0.002	0.005	Inhalation.: Used ECETOC TRA model
						Dermal: Used ECETOC TRA model

3.2. Environment

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

Guidance - Health	Estimated workplace exposures are not expected to exceed DNELs when the identified risk managemer measures are adopted. The ECETOC TRA tool has been used to estimate workplace exposures unless otherwise indicated
2. Environment	
Guidance - Environment	Not required

Additional good practice advice Good standard of personal hygiene. Containment as appropriate



1. Exposure scenario 2

Reassuringly British

V

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Professional use ES Ref.: 2			
Professional use	ES Ret.: 2 ES Type: Worker		
	ES Type: worker		
Use descriptors SU	SU2a, SU10, SU19, SU23		
	C1, PROC2, PROC3, PROC5, PROC8a, PROC8b, PROC9, PROC	11 PROC15	
	C19	, , , , , , , , , , , , , , , , , , , ,	
PC	, PC12, PC37		
ER	3b, ERC8e		
Inc	facture of substance or use as an intermediate, process chemical des recycling/ recovery, material transfers, storage, maintenance a le vessel/barge, road/rail car and bulk container)		
	ECETOC TRA model		
Assessment method			
2. Operational conditions and risk manage	ent measures		
2.1.1 Contributing scenario controlling worker ex	osure (PROC1)		
PROC1 Use in closed process, r	likelihood of exposure		
Product characteristics			
Concentration of substance in product	100 %		
Dustiness	Solid, low dustiness		
Operational conditions			
Frequency and duration of use	Covers daily exposures up to 8 hours (unless stated		
	differently)		
Other given operational conditions affecting workers	Indoor		
exposure	Exposed skin surface assumed: One har	nd face (240 cm2)	
Risk management measures			
Technical conditions and measures at process level (source) to prevent release	Use only in closed systems permitted		
Technical conditions and measures to control dispersion from source towards the worker	General ventilation		
Organisational measures to prevent /limit releases, dispersion and exposure	Occupational exposure controls		
Conditions and measures related to personal		90%)	
protection, hygiene and health evaluation	iven operational conditions affecting workers re Indoor Indoor anagement measures Exposed skin surface assumed: One hand cal conditions and measures at process level to prevent release Use only in closed systems permitted One hand cal conditions and measures to control ion from source towards the worker General ventilation One hand sational measures to prevent /limit releases, ion and exposure Occupational exposure controls Occupational exposure controls ons and measures related to personal ion, hygiene and health evaluation Wear suitable gloves tested to EN374 (efficacy stocker) Contributing scenario controlling worker exposure (PROC2) One hand Occupational exposure		
2.1.2 Contributing scenario controlling worker ex	osure (PROC2)		
PROC2 Use in closed, continuou	process with occasional controlled exposure		
Product characteristics			
Concentration of substance in product	100 %		
Dustiness	Solid, low dustiness		
Operational conditions	•		
Frequency and duration of use	Covers daily exposures up to 8 hours (unless stated differently)		
Other given operational conditions affecting workers	Indoor		
exposure	Exposed skin surface assumed: Two har	nds face (480 cm2)	
Risk management measures			
Technical conditions and measures at process level (source) to prevent release	Use in closed, continuous process with occasional controlled exposure		
Technical conditions and measures to control dispersion from source towards the worker	General ventilation		
Organisational measures to prevent /limit releases, dispersion and exposure	Occupational exposure controls		
Conditions and measures related to personal	Wear suitable gloves tested to EN374 (efficacy	90%)	
protection, hygiene and health evaluation	Chemical goggles or safety glasses		



♦

 \leq

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

2.1.3	Contributing scenar	io controlling worker exp	osure (PROC3)	
PRC			ess (synthesis or formulation)	
Pro	duct characteristics			
Con	centration of substance	in product	100 %	
Dus	tiness	•	Solid, low dustiness	
Ope	erational conditions			
	quency and duration of u	se	Covers daily exposures up to 8 hours (unless stated differently)	
	er given operational conc osure	ditions affecting workers	Indoor Exposed skin surface assumed:	One hand face (240 cm2)
Risk	k management measure	es		
	hnical conditions and me irce) to prevent release	asures at process level	Use in closed batch process (synthesis or formulation). With occasional controlled exposure	
	hnical conditions and me ersion from source towa		General ventilation	
	anisational measures to ersion and exposure	prevent /limit releases,	Occupational exposure controls	
	ditions and measures re		Wear suitable gloves tested to EN374	(efficacy 90%)
prot	ection, hygiene and heal	th evaluation	Chemical goggles or safety glasses	
2.1.4	Contributing scenar	rio controlling worker exp	osure (PROC5)	
PRC	DC5	Mixing or blending in bate contact)	ch processes for formulation of preparations and articles (multistage and/or significant
Pro	duct characteristics	I		
Con	centration of substance	in product	100 %	
Dus	tiness		Solid, low dustiness	
Оре	erational conditions			
Frec	quency and duration of u	se	Covers daily exposures up to 8 hours (unless stated differently)	
Othe	er given operational cond	ditions affecting workers	Indoor	
expo	osure		Exposed skin surface assumed:	Two hands face (480 cm2)
	k management measure			
disp	hnical conditions and me ersion from source towa	rds the worker	General ventilation	
	anisational measures to ersion and exposure	prevent /limit releases,	Occupational exposure controls	
	ditions and measures re ection, hygiene and heal		Wear suitable gloves tested to EN374 Chemical goggles or safety glasses	(efficacy 90%)
2.1.5	Contributing scenar	io controlling worker exp	osure (PROC8a)	
PRC	DC8a		preparation (charging/discharging) from/to vessels/large of	containers at non dedicated
Pro	duct characteristics			
Con	centration of substance	in product	100 %	
Dus	tiness		Solid, low dustiness	
Оре	erational conditions			
Free	quency and duration of u	se	Covers daily exposures up to 8 hours (unless stated differently)	
	er given operational conc osure	ditions affecting workers	Indoor	Two hands (960 cm2)
· ·	k management measure	es	Exposed skin surface assumed:	
Tecl	hnical conditions and me ersion from source towa	asures to control	General ventilation	
Orga	anisational measures to ersion and exposure		Occupational exposure controls	
-	ditions and measures re	lated to personal	Wear suitable gloves tested to EN374	(efficacy 90%)
	ection, hygiene and heal		Chemical goggles or safety glasses	



SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

PROC8b		preparation (charging/discharging) from/to vessels/large	
	araduat	100 %	
Concentration of substance in Dustiness	product	Solid, low dustiness	
Operational conditions			
Frequency and duration of use		Covers deily experience up to 8 hours (upless stated	
		Covers daily exposures up to 8 hours (unless stated differently)	
Other given operational conditi exposure	ons affecting workers	Indoor	True la ser de (000 area0)
Risk management measures		Exposed skin surface assumed:	Two hands (960 cm2)
Fechnical conditions and meas	ures at process level	Semi-closed process with occasional controlled	
(source) to prevent release Technical conditions and meas		exposure General ventilation	
dispersion from source towards	s the worker		
Organisational measures to pre dispersion and exposure		Occupational exposure controls	
Conditions and measures relat	ed to personal	Wear suitable gloves tested to EN374	(efficacy 90%)
protection, hygiene and health		Chemical goggles or safety glasses	
	controlling worker exp		
PROC9	Transfer of substance or	preparation into small containers (dedicated filling line, in	cluding weighing)
Product characteristics			
Concentration of substance in	product	100 %	
Dustiness		Solid, low dustiness	
Operational conditions			
Frequency and duration of use		Covers daily exposures up to 8 hours (unless stated differently)	
Other given operational conditi	ons affecting workers	Indoor	
exposure		Exposed skin surface assumed:	Two hands face (480 cm2)
Risk management measures			
Fechnical conditions and meas source) to prevent release	sures at process level	Semi-closed process with occasional controlled exposure	
Technical conditions and meas dispersion from source towards		General ventilation	
Organisational measures to pre dispersion and exposure	event /limit releases,	Occupational exposure controls	
Conditions and measures relat protection, hygiene and health		Wear suitable gloves tested to EN374 Chemical goggles or safety glasses	(efficacy 90%)
		0.000	
	controlling worker exp Non industrial spraying		
	Non industrial spraying		
Product characteristics	araduat	100.9/	
Concentration of substance in	μισαμοί	100 %	
Dustiness		Solid, low dustiness	
Operational conditions		Covers delly every us to 0 hours (values stated	
Frequency and duration of use		Covers daily exposures up to 8 hours (unless stated differently)	
Other given operational conditi	ons affecting workers	Indoor	
exposure	2	Exposed skin surface assumed:	Two hands and upper wrist (1500 cm2)
Risk management measures			
Technical conditions and meas dispersion from source towards		General ventilation	
Organisational measures to predispersion and exposure	event /limit releases,	Occupational exposure controls	
		Wear suitable gloves tested to EN374	(efficacy 90%)
ge 17 of 19			

 \langle

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 2, March 2016

Conditions and measures reprotection, hygiene and heal		Chemical goggles or safety glasses	
1.9 Contributing scenar	rio controlling worker exp	oosure (PROC15)	
PROC15	Use as laboratory reager	nt	
Product characteristics	•		
Concentration of substance i	in product	100 %	
Dustiness		Solid, low dustiness	
Operational conditions			
Frequency and duration of us	se	Covers daily exposures up to 8 hours (unless stated differently)	
Other given operational cond	ditions affecting workers	Indoor	
exposure	-	Exposed skin surface assumed:	One hand face (240 cm2)
Risk management measure	es		
Technical conditions and me dispersion from source toward	easures to control	General ventilation	
Organisational measures to dispersion and exposure	prevent /limit releases,	Occupational exposure controls	
Conditions and measures re		Wear suitable gloves tested to EN374	(efficacy 90%)
protection, hygiene and heal	th evaluation	Chemical goggles or safety glasses	
1.10 Contributing scenar	rio controlling worker exp	oosure (PROC19)	
PROC19	Hand-mixing with intimat	e contact and only PPE available	
Product characteristics			
Concentration of substance i	in product	100 %	
Dustiness	•		
		Solid, low dustiness	
Operational conditions		Solid, low dustiness	
Operational conditions Frequency and duration of us	Se	Solid, low dustiness Covers daily exposures up to 8 hours (unless stated differently)	
Frequency and duration of us Other given operational cond		Covers daily exposures up to 8 hours (unless stated	
Frequency and duration of us		Covers daily exposures up to 8 hours (unless stated differently)	Two hands and forearms (1980 cm2)
Frequency and duration of us Other given operational cond	ditions affecting workers	Covers daily exposures up to 8 hours (unless stated differently) Indoor	
Frequency and duration of us Other given operational conc exposure	ditions affecting workers es easures to control	Covers daily exposures up to 8 hours (unless stated differently) Indoor	
Frequency and duration of us Other given operational cond exposure Risk management measure Technical conditions and me	ditions affecting workers es easures to control rds the worker	Covers daily exposures up to 8 hours (unless stated differently) Indoor Exposed skin surface assumed:	
Frequency and duration of us Other given operational concerns exposure Risk management measure Technical conditions and me dispersion from source towar Organisational measures to	ditions affecting workers es easures to control rds the worker prevent /limit releases, lated to personal	Covers daily exposures up to 8 hours (unless stated differently) Indoor Exposed skin surface assumed: General ventilation	

3. Exposure estimation and reference to its source

3.1. Health

Long-term - systemic effe	ects					
DNEL	Inhalation.: 37.6 mg/m	۱ ³				
	Dermal: 21.3 mg/kg b	odyweight	/day			
Contributing scenario	inhalation exposure mg/m ³	RCR	Dermal exposure mg/kg bodyweight/day	RCR	Sum RCR	Assessment method
PROC1	0.01	0.000	0.003	0.000	0.000	Inhalation.: Used ECETOC TRA model
						Dermal: Used ECETOC TRA model
PROC2	0.01	0.000	0.137	0.006	0.006	Inhalation.: Used ECETOC TRA model
						Dermal: Used ECETOC TRA model
PROC3	0.1	0.003	0.069	0.003	0.006	Inhalation.: Used ECETOC TRA model
						Dermal: Used ECETOC TRA model



SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Revision 2, March 2016

PROC5	1	0.027	1.371	0.064	0.091	Inhalation.: Used ECETOC TRA model
						Dermal: Used ECETOC TRA model
PROC8a	0.5	0.013	1.371	0.064	0.077	Inhalation.: Used ECETOC TRA model
						Dermal: Used ECETOC TRA model
PROC8b	0.5	0.013	1.371	0.064	0.077	Inhalation.: Used ECETOC TRA model
						Dermal: Used ECETOC TRA model
PROC9	0.5	0.013	0.686	0.032	0.045	Inhalation.: Used ECETOC TRA model
						Dermal: Used ECETOC TRA model
PROC11	1	0.027	4.284	0.201	0.228	Inhalation.: Used ECETOC TRA model
						Dermal: Used ECETOC TRA model
PROC15	0.1	0.003	0.034	0.002	0.005	Inhalation.: Used ECETOC TRA model
						Dermal: Used ECETOC TRA model
PROC19	0.1	0.003	2.829	0.133	0.136	Inhalation.: Used ECETOC TRA model
						Dermal: Used ECETOC TRA model

3.2. Environment

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

4.1. Health

Guidance - Health

4.2. Environment

Guidance - Environment Not required

Additional good practice advice beyond the REACH CSA

Additional good practice advice Good standard of personal hygiene. Containment as appropriate

