Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II / Regulation (EU) No. 2015/830. - United Kingdom (UK)

Date of issue/ Date of revision : Date of previous issue : Version

05.11.2018 22.03.2017 4.0

10



SAFETY DATA SHEET

MAINCROP 14-14-21

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	:	MAINCROP 14-14-21
Product code	:	PG302P
Product type	1	solid (prills)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Industrial distribution.
Industrial USE to formulate chemical product mixtures.
Professional formulation of fertiliser products.
Professional USE as fertiliser at Farm - loading and spreading.
Professional USE as fertiliser in Greenhouse.
Professional USE as liquid fertiliser in open field (e.g. Fertigation).
Professional USE as fertiliser - maintenance of equipment.

Uses advised against

None identified. 100

Not available.

1.3 Details of the supplier of the safety data sheet

		Yara UK Limited
<u>Address</u>		
Street	:	Harvest House, Europarc
Postal code	:	DN37 9TZ
City		Grimsby, North East Lincolnshire
Country	:	United Kingdom
Telephone number	:	+44 (0) 1472 889250
Fax no.	÷ .	+44 (0) 1472 889251
e-mail address of person responsible for this SDS	:	yarauk.hesq@yara.com

1.4 Emergency telephone number

National advisory body/Poison :

Date of issue : 05.11.2018

Page:1/18

<u>Center</u>

<u>Supplier</u> Telephone number	:	National Chemical Emergency Centre +44 (0) 1865 407333
Hours of operation	:	24h

SECTION 2: Hazards identification

2.1 Classification of the substan Product definition	<u>ce c</u> :	or mixture. Mixture		
Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]				
Classification	:	Not classified.		
The product is not classified as ha	zard	lous according to Regulation (EC) 1272/2008 as amended.		
2.2 Label elements				
Signal word	:	No signal word.		
Hazard statements	:	Not applicable.		
Precautionary statements				
General	:	Not applicable.		
Supplemental label elements	:	Safety data sheet available on request.		
EU Regulation (EC) No. 1907/2006 (REACH) Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Applicable, Table 65.		
Special packaging requirements	<u>i</u>			
Containers to be fitted with child-resistant fastenings	:	Not applicable.		
Tactile warning of danger	:	Not applicable.		
2.3 Other hazards				
Other hazards which do not result in classification	:	Product forms slippery surface when combined with water.		

SECTION 3: Composition/information on ingredients

3.2 Mixtures

: Mixture

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
ammonium nitrate	RRN:	>= 20 -	Ox. Sol. 3, H272	[1]
	01-2119490981-	< 25	Eye Irrit. 2, H319	
Date of issue : 05.11.20	018	Page:2/1	8	

	27 EC: 229-347-8 CAS : 6484-52-2			
Potassium nitrate	RRN: 01-2119488224- 35 EC: 231-818-8 CAS : 7757-79-1	>= 12.5 - < 15	Ox. Sol. 3, H272	[1]
ammonium chloride	RRN: 01-2119489385- 24 EC: 235-186-4 CAS : 12125-02-9 Index: 017-014-00-8	>= 7 - < 10	Acute Tox. 4, H302 Eye Irrit. 2, H319	[1] [2]
Calcium fluoride (CaF2)	RRN: 01-2119491248- 30 EC: 232-188-7 CAS : 7789-75-5	>= 2 - < 3	Not classified.	[2]

Туре

[1] Substance classified with a physical, health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	:	Rinse with plenty of running water. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	If inhaled, remove to fresh air. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	-	Wash with soap and water. Get medical attention if irritation develops.
Date of issue : 05.11.2018		Page:3/18

Ingestion	:	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if adverse health effects persist or are severe.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms						
Eye contact	:	No specific data.				
Inhalation	:	No specific data.				
Skin contact	:	No specific data.				
Ingestion	:	No specific data.				

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use flooding quantities of water for extinction.
Unsuitable extinguishing media	:	Do NOT use chemical extinguisher or foam or attempt to smother the fire with steam or sand.
5.2 Special hazards arising from	the	substance or mixture
Hazards from the substance or mixture	:	The product itself is not combustible but it can support combustion, even in absence of air. On heating it melts and further heating can cause decomposition, releasing toxic fumes containing nitrogen oxides and ammonia.
Hazardous combustion products	:	Decomposition products may include the following materials: nitrogen oxides phosphorus oxides halogenated compounds metal oxide/oxides Avoid breathing dusts, vapors or fumes from burning materials. In case of inhalation of decomposition products in a fire, symptoms may be delayed.
Date of issue : 05.11.2018		Page:4/18

5.3 Advice for firefighters

Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Additional information		None.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and materials for co	ntai	nment and cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Not for human or animal consumption.

Protective measures :	:	Put on appropriate personal protective equipment (see Section 8).
Advice on general : occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Recommendations	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well- ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep away from: organic materials, oil and grease.
Recommendations		Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
ammonium chloride	EH40/2005 WELs (1997-01-01)
	STEL 20 mg/m3 Form: Fume
	TWA 10 mg/m3 Form: Fume
Calcium fluoride (CaF2)	EH40/2005 WELs (2001-04-01)
	TWA 2.5 mg/m3 (as F)
	EU OEL (2000-06-01)
	TWA 2.5 mg/m3
Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory
Date of issue : 05.11.2018	Page:6/18

protective equipment.

Reference should be made to monitoring standards, such as the following:

European Standard EN 689 (Workplace atmospheres -Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy)

European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents)

European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents)

Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredie nt name	Туре	Exposure	Value	Population	Effects
Calcium fluoride (CaF2)	DNEL	Long term Inhalation	5 mg/m³	Workers	Systemic
ammonium chloride	DNEL	Long term Dermal	190 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	33.5 mg/m ³	Workers	Systemic
Potassium nitrate	DNEL	Long term Dermal	20.8 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	36.7 mg/m ³	Workers	Systemic
	DNEL	Long term Dermal	12.5 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Inhalation	10.9 mg/m ³	Consumers	Systemic
	DNEL	Long term Oral	12.5 mg/kg bw/day	Consumers	Systemic
ammonium nitrate	DNEL	Long term Dermal	21.3 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	37.6 mg/m ³	Workers	Systemic

PNECs

Product/ingredient name	Туре	Compartment Detail	Value	Method Detail
Calcium fluoride (CaF2)	PNEC	Fresh water	0.9 mg/l	Assessment Factors
	PNEC	Soil	11 mg/kg dwt	Assessment Factors
	PNEC	Sewage Treatment Plant	51 mg/l	Assessment Factors
ammonium chloride	PNEC	Fresh water	1.2 mg/l	Assessment Factors
	PNEC	Marine water	0.12 mg/l	Assessment Factors
	PNEC	Intermittent release	1.2 mg/l	Assessment Factors
	PNEC	Soil	0.163 mg/kg	Assessment

Date of issue : 05.11.2018

Page:7/18

			dwt	Factors
	PNEC	Sewage Treatment Plant	16.2 mg/l	Assessment Factors
Potassium nitrate	PNEC	Marine	0.045 mg/l	Assessment Factors
	PNEC	Intermittent release	4.5 mg/l	Assessment Factors
	PNEC	Sewage Treatment Plant	18 mg/l	Assessment Factors
	PNEC	Fresh water	0.45 mg/l	Assessment Factors
ammonium nitrate	PNEC	Fresh water	0.45 mg/l	Assessment Factors
	PNEC	Marine water	0.045 mg/l	Assessment Factors
	PNEC	Intermittent release	4.5 mg/l	Assessment Factors
	PNEC	Sewage Treatment Plant	18 mg/l	Assessment Factors

8.2 Exposure controls

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measures Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing. A washing facility or water for eye and skin cleaning purposes should be present.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Skin protection Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Date of issue : 05.11.2018		Page:8/18

Respiratory protection	:	In case of inadequate ventilation wear respiratory protection.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Physical state Color Odor Odor threshold pH		solid (prills) Gray. Odorless. Not determined. 4.5 [Conc. (% w/w): 100 g/l]
Melting point/freezing point	:	Decomposes: 160 °C
Initial boiling point and boiling range	:	Not determined
Flash point		Not determined
Evaporation rate	4	Not determined
Flammability (solid, gas)	÷	Non-flammable.
Upper/lower flammability or explosive limits Vapor pressure Vapor density Relative density Bulk density Solubility(ies)		Lower: Not determined Upper: Not determined Not determined Not determined Not determined Not determined Soluble in the following materials: cold water
Partition coefficient: n-	:	Not determined
octanol/water		
Auto-ignition temperature	1	Not determined
Viscosity	1	Dynamic: Not determined.
		Kinematic:Not determined.
Explosive properties	1	None.
Oxidizing properties	1	None
9.2 Other information		

<u>9.2 Other information</u> No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available product or its ingredients.	for this
10.2 Chemical stability	: The product is stable.	
Date of issue : 05.11.2018	Pa	ge:9/18

10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	Avoid contamination by any source including metals, dust and organic materials.
10.5 Incompatible materials	:	alkalis combustible materials reducing materials organic materials Acids
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredie	Result	Species	Dose	Exposure	References			
nt name								
Calcium fluoride (C	Calcium fluoride (CaF2)							
	LD50 Oral	Rat	> 2,000 mg/kg	Not applicable.	ICULID 5			
	LC50 Inhalation	Rat	5.07 mg/l OECD 403	4 h	ICULID 5			
ammonium chloride	Э							
	LD50 Oral	Rat	1,410 mg/kg	Not applicable.	IUCLID 5			
	LD50 Dermal	Rat	> 5,000 mg/kg	Not applicable.	IUCLID			
Potassium nitrate								
	LD50 Oral	Rat	2,000 - 5,000 mg/kg	Not applicable.	IUCLID			
	LD50 Dermal	Rat	> 5,000 mg/kg	Not applicable.	IUCLID			
ammonium nitrate		•						
	LD50 Oral	Rat	2,950 mg/kg OECD 401	Not applicable.	IUCLID			
	LD50 Dermal	Rat	> 5,000 mg/kg OECD 402	Not applicable.	IUCLID			

Conclusion/Summary

: No known significant effects or critical hazards.

Acute toxicity estimates

Route	ATE value
Oral	14,842.3 mg/kg

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation	References	
MAINCROP 14-14- 21	Eyes - Non-	Rabbit	< 1	1 - 48 h	14 d	Fertilizers Europe	
Date of issue : 05.11.2018 Page:10/18							

	irritating. OECD 405					
ammonium chloride	Eyes - Irritant	Rabbit	Not applicable.		Not applicable.	IUCLID 5
Potassium nitrate	Skin - Non- irritating. OECD 404	Rabbit	0		72 h	IUCLID 5
ammonium nitrate	Eyes - Irritant OECD 405	Rabbit	Not applicable.		Not applicable.	IUCLID
Conclusion/Summary Skin : Non-irritating. Eves : Non-irritating						

Eyes Respiratory	-	Non-irritating. Non-irritating.
Sensitization		
Conclusion/Summary Skin Respiratory	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
<u>Mutagenicity</u> Conclusion/Summary		No known significant effects or critical hazards.
<u>Carcinogenicity</u>		

Conclusion/Summary :

: No known significant effects or critical hazards.

Reproductive toxicity

Product/ing redient name	Maternal toxicity	Fertility	Development toxin	Species	Dose	Exposure	References
ammonium chloride	Not applicabl e.	Negative	Negative	Rat	Oral : 1500 mg/kg bw/day		IUCLID 5
Potassium nitrate	Negative	Negative	Negative	Rat	Oral : > 1500 mg/kg bw/day OECD 422	28 days	IUCLID 5
ammonium nitrate	Not applicabl e.	Negative	Negative	Rat	Oral : > 1500 mg/kg bw/day OECD 422	28 days	IUCLID 5

: Not available.

Conclusion/Summary

: No known significant effects or critical hazards.

Information on the likely

Date of issue : 05.11.2018

routes of exposure

Potential acute health effects

Inhalation	:	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Ingestion	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Eye contact	:	No known significant effects or critical hazards.
Symptoms related to the physic	al, c	hemical and toxicological characteristics
Inhalation	:	No specific data.
Ingestion	:	No specific data.
Skin contact	:	No specific data.
Eye contact	:	No specific data.
	and	also chronic effects from short and long term exposure
<u>Short term exposure</u> Potential immediate effects	:	No known significant effects or critical hazards.
Potential delayed effects	:	No known significant effects or critical hazards.
Long term exposure Potential immediate effects	:	No known significant effects or critical hazards.
Potential delayed effects	:	No known significant effects or critical hazards.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure	References	
ammonium chloride	Sub-chronic NOAEL Oral	Rat - Male	684 mg/kg	10 weeks	IUCLID 5	
Potassium nitrate	Sub-acute NOAEL Oral	Rat	> 1,500 mg/kg	28 days	IUCLID 5	
ammonium nitrate	Chronic NOAEL Oral	Rat	256 mg/kg OECD 422	28 days	IUCLID 5	
	Sub-acute NOEC Dusts and mists Inhalation	Rat	> 185 mg/kg OECD 412	2 weeks 5 hours per day	IUCLID 5	
Carcinogenicity	:	No known si	gnificant effects or	critical hazards		
Mutagenicity	:	No known significant effects or critical hazards.				
Fertility effects	:	No known sig	gnificant effects or	critical hazards		
Date of issue : 05.11	.2018			P	age:12/18	

Developmental effects	:	No known significant effects or critical hazards.
Effects on or via lactation	:	No known significant effects or critical hazards.
Other effects	:	No known significant effects or critical hazards.
Other information	:	Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure	References
Calcium fluoride (CaF2))			
	Acute EC50 26	Water flea	96 h	IUCLID 5
	mg/l Fresh water			
	Acute EC50 10.5	Water flea	96 h	IUCLID 5
	mg/I Marine water			
	Acute EC50 43	Algae	96 h	IUCLID 5
	mg/l Fresh water			
	Acute EC50 81	Algae	96 h	IUCLID 5
	mg/I Marine water			
ammonium chloride		1		
	Acute LC50 174	Fish	96 h	IUCLID 5
	mg/I Marine water			
	Acute LC50 209	Fish	96 h	IUCLID 5
	mg/l Fresh water Acute EC50 101	Daphnia	48 h	IUCLID 5
	mg/l Fresh water	Daprina	40 11	
	Acute EC50 90.4	Algae	10 d	IUCLID 5
	mg/I Marine water	Aigae	lou	
	Acute EC50 1,300	Green algae	5 d	IUCLID 5
	mg/l Fresh water	Croon algue	0 u	
Potassium nitrate	ing/intesh water			
	Acute LC50 1,378	Fish	96 h	IUCLID 5
	mg/l Fresh water			
	OECD 203			
	Acute EC50 490	Daphnia	48 h	IUCLID 5
	mg/l Fresh water	-		
	Acute EC50 >	Algae	240 h	IUCLID 5
	1,700 mg/l Fresh			
	water			
ammonium nitrate		1		
	Acute LC50 447	Fish	48 h	IUCLID 5
	mg/l Fresh water			
	Acute EC50 490	Daphnia	48 h	IUCLID 5
	mg/l Fresh water		40.1	
	Acute EC50 1,700	Algae	10 d	IUCLID 5
	mg/I Salt water			

Conclusion/Summary

: No known significant effects or critical hazards.

12.2 Persistence and degradability

Conclusion/Summary

: No known significant effects or critical hazards.

Date of issue : 05.11.2018

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential		
ammonium chloride	-3.2	Not applicable.	low		
Conclusion/Summary	:	No known significant effects or	critical hazards.		
12.4 Mobility in soil					
Soil/water partition coe (KOC)	ficient :	Not available.			
Mobility	:	Not available.			
12.5 Results of PBT and	l vPvB assess	sment			
РВТ	:	Not applicable.			
vPvB	:	Not applicable.			
12.6 Other adverse effe	<u>cts</u> :	No known significant effects or	critical hazards.		

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

<u>Product</u>	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

European waste catalogue (EWC)

Waste code		Waste designation
06 10 99		wastes not otherwise specified
Packaging		
Methods of disposal	wher Incin recyo remo may	generation of waste should be avoided or minimized ever possible. Waste packaging should be recycled. eration or landfill should only be considered when cling is not feasible. Empty the bag by shaking to ove as much as possible of its contents. Empty bags be disposed of as non-hazardous material or ned for recycling.
Date of issue : 05.11.2018		Page:14/18

Special precautions

This material and its container must be disposed of in a safe way.
Empty containers or liners may retain some product residues.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

Regulation: ADR/RID		
14.1 UN number	Not regulated.	
14.2 UN proper shipping name	Not applicable.	
14.3 Transport hazard class(es)	Not applicable.	
14.4 Packing group	Not applicable.	
14.5 Environmental hazards	No.	
Additional information		

Regulation: ADN		
14.1 UN number	Not regulated.	
14.2 UN proper shipping name	Not applicable.	
14.3 Transport hazard class(es)	Not applicable.	
14.4 Packing group	Not applicable.	
14.5 Environmental hazards	No.	
Additional information		
Danger code	: Not applicable.	

Regulation: IMDG	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
Marine pollutant	: No.

Regulation: IATA		
14.1 UN number	Not regulated.	
14.2 UN proper shipping name	Not applicable.	
14.3 Transport hazard class(es)	Not applicable.	
14.4 Packing group	Not applicable.	
14.5 Environmental hazards	No.	
Additional information <u>Marine pollutant</u>	: No.	

		decomposition according to the S.1 trough test as defined in the recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, part III, section 38.
<u>14.6 Special precautions for</u> user	:	Transport within user's premises: Ensure that persons transporting the product know what to do in the event of an accident or spillage.

A NPK fertilizer not liable to self-sustaining exothermic

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

з.

Not applicable.

14.8 IMSBC

Bulk cargo shipping name	:	AMMONIUM NITRATE BASED FERTILIZER (non- hazardous)
	:	Not applicable. C Non-HME

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization Annex XIV: None of the components are listed.

Substances of very high concern: None of the components are listed.

EU Regulation (EC) No. 1907/2006 (REACH) Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Applicable, Table 65.
Other EU regulations Industrial emissions (integrated pollution prevention and control) - Air	:	Listed
Ozone depleting substances (10 None of the components are lister		<u>2009/EU)</u>
Prior Informed Consent (PIC) (6 None of the components are listed		2012/EU)
Seveso Directive This product is not controlled und	er tl	he Seveso Directive.
Other regulations	:	This product is subject to Regulation (EU) 98/2013, all suspicious transactions, disappearances and thefts should be reported to the relevant authority.

Date of issue : 05.11.2018

National regulations		
Biocidal products regulation	:	Not applicable.
Notes	:	To our knowledge no other country or state specific regulations are applicable.
15.2 Chemical Safety Assessment	:	This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Abbreviations and acronyms	:	ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level DMEL = Derived Minimal Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number PBT = Persistent, Bioaccumulative and Toxic vPvB = Very Persistent and Very Bioaccumulative bw = Body weight
Key data sources	:	EU REACH IUCLID5 CSR. National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical Substances. Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec HAR 2P9, Canada. Regulation (EC) No 1272/2008 Annex VI.

<u>Procedure used to derive the classification according to Regulation (EC) No. 1272/2008</u> [CLP/GHS]

Classification	Justification
Not classified.	Bridging principle "Substantially similar mixtures"
	On basis of test data

Full text of abbreviated H statements

H272	May intensify fire; oxidizer.	
H302	Harmful if swallowed.	
H319	Causes serious eye irritation.	

Full text of classifications [CLP/GHS]

, H272	OXIDIZING SOLIDS - Category 3
, H302	ACUTE TOXICITY (oral) - Category 4
, H319	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

Revision comments

: Section 15. Regulatory information

Date of issue :	05.11.2018
-----------------	------------

Date of printing	:	19.11.2018
Date of issue/ Date of revision	:	05.11.2018
Date of previous issue	:	22.03.2017
Version	1	4.0
Prepared by	:	Yara Chemical Compliance (YCC).
II Indicates information that has changed from previously issued version.		

Notice to reader

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as at the date of its issue. The information it contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other material(s) or when used otherwise than as described herein, since all materials may represent unknown hazards and should be used with caution. Final determination of the suitability of any material is the sole responsibility of the user.