Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II / Regulation (EU) No. 2015/830. - United Kingdom (UK)

Date of issue/ Date of revision : Date of previous issue Version

29.04.2020 11 06.11.2018 4.0

1



SAFETY DATA SHEET

SulphurCut Prilled 22-4-14 +7.5%SO3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SulphurCut Prilled 22-4-14 +7.5%SO3

1.1 Product identifier

Product name	1
Product code	1
Product type	1

1.2 Relevant identified uses of the substance or mixture and uses advised against

PJ04BP Solid (prills)

Identified uses
Industrial distribution.
Industrial USE to formulate chemical product mixtures.
Professional formulation of fertiliser products.
Professional USE as fertiliser at Farm - loading and spreading.
Professional USE as fertiliser in Greenhouse.
Professional USE as liquid fertiliser in open field.
Professional USE as fertiliser - maintenance of equipment.

Uses advised against	: Other non-specified industry
Reason	 Due to lack of related experience or data, the supplier cannot approve this use.

1.3 Details of the supplier of the safety data sheet

		Yara UK Limited
<u>Address</u>		
Street	1.1	Harvest House, Europarc
Postal code		DN37 9TZ
City	1.1	Grimsby, North East Lincolnshire
Country		United Kingdom
Telephone number		+44 (0) 1472 889250
Fax no.		+44 (0) 1472 889251
e-mail address of person		yarauk.hesq@yara.com
responsible for this SDS		

<u>1.4 Emergency telephone number</u>

National advisory body/Poison	1	Not available.	
Center			
<u>Supplier</u>			

Emergency telephone number	:	National Chemical Emergency Centre
(with hours of operation)		+44 (0) 1865 407333 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture. Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	: Eye Irrit. 2, H319
----------------	----------------------

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms	:		
		\checkmark	
Signal word		: Wa	Irning
Hazard statements	:	H319	Causes serious eye irritation.
Precautionary statements			
Prevention	:	P280-a P264-a	Wear eye protection. Wash hands thoroughly after handling.
Response	:	P305 P351	IF IN EYES: Rinse cautiously with water for several minutes.
		P338	Remove contact lenses, if present and easy to do. Continue rinsing.
		P337 P313-a	If eye irritation persists: Get medical attention.
EU Regulation (EC) No. <u>1907/2006 (REACH) Annex XVII</u> <u>- Restrictions on the</u> <u>manufacture, placing on the</u> <u>market and use of certain</u> <u>dangerous substances,</u> <u>mixtures and articles</u>	:	Applicable,	Table 58, 65.
Special packaging requirements	<u>i</u>		
Containers to be fitted with	:	Not applica	able.
Date of issue : 29.04.2020			Page:2/20

child-resistant fastenings Tactile warning of danger

: Not applicable.

2.3 Other hazards

Other hazards which do not result in classification

Product forms slippery surface when combined with water.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Mixture

з.

ŝ

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
ammonium nitrate	RRN: 01-2119490981- 27 EC: 229-347-8 CAS : 6484-52-2	>= 35 - < 45	Ox. Sol. 3, H272 Eye Irrit. 2, H319	[1]
potassium nitrate	RRN: 01-2119488224- 35 EC: 231-818-8 CAS : 7757-79-1	>= 12.5 - < 15	Ox. Sol. 3, H272	[1]
ammonium chloride	RRN: 01-2119489385- 24 EC: 235-186-4 CAS : 12125-02-9 Index: 017-014-00-8	>= 7 - < 10	Acute Tox. 4, H302 Eye Irrit. 2, H319	[1] [2]
Calcium fluoride (CaF2)	RRN: 01-2119491248- 30 EC: 232-188-7 CAS : 7789-75-5	>= 0.3 - < 1	Not classified.	[2]
calcium oxide	RRN: 01-2119475325- 36 EC: 215-138-9 CAS : 1305-78-8	>= 0.01 - < 0.1	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	[1] [2]

<u>Type</u>

[1] Substance classified with a physical, health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	:	Rinse with plenty of running water. Check for and remove any contact lenses. If irritation persists, get medical attention.
Inhalation	:	If inhaled, remove to fresh air. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Wash with soap and water. Get medical attention if irritation develops.
Ingestion	:	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
4.2 Most important symptoms a	nd	effects, both acute and delayed
Over expective signaleymptom		
Over-exposure signs/symptoms	5	A loss of the second
Eye contact	÷.,	Adverse symptoms may include the following: pain or irritation,
		watering, redness
Inhalation	10	No specific data.
Skin contact	10	No specific data.
Ingestion	1	No specific data.
4.3 Indication of any immediate	me	dical attention and special treatment needed
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use flooding quantities of water for extinction.
Unsuitable extinguishing media	:	Do NOT use chemical extinguisher or foam or attempt to smother the fire with steam or sand.
5.2 Special hazards arising from	the	substance or mixture
Hazards from the substance or mixture	:	The product itself is not combustible but it can support combustion, even in absence of air. On heating it melts and further heating can cause decomposition, releasing toxic fumes containing nitrogen oxides and ammonia.
Hazardous combustion products	:	Decomposition products may include the following materials: nitrogen oxides, sulfur oxides, phosphorus oxides, halogenated compounds, metal oxide/oxides, ammonia, Avoid breathing dusts, vapors or fumes from burning materials., In case of inhalation of decomposition products in a fire, symptoms may be delayed.
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).		
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
6.2 Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
6.3 Methods and materials for containment and cleaning up				
Small spill	:	Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place		
Date of issue : 29.04.2020		Page:5/20		

 spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
 Large spill
 Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.
 See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Not for human or animal consumption.

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep away from: organic materials, oil and grease.

7.3 Specific end use(s)

Recommendations

: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values			
ammonium chloride	EH40/2005 WELs (1997-01-01)			
	STEL 20 mg/m3 Form: Fume			
	TWA 10 mg/m3 Form: Fume			
Calcium fluoride (CaF2)	EH40/2005 WELs (2001-04-01)			
	TWA 2.5 mg/m3 (as F)			
calcium oxide	EH40/2005 WELs (1997-01-01)			
	TWA 2 mg/m3			
	EH40/2005 WELs (2018-08-21)			
	STEL 4 mg/m3 Form: Respirable fraction			
	TWA 1 mg/m3 Form: Respirable fraction			

Recommended monitoring procedures

If this product contains ingredients with exposure limits, 2 personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the followina: European Standard EN 689 (Workplace atmospheres -Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General

requirements for the performance of procedures for the measurement of chemical agents)

Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredie	Туре	Exposure	Value	Population	Effects
nt name ammonium nitrate	DNEL	Long term Dermal	256 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	451 mg/m ³	Workers	Systemic
ammonium chloride	DNEL	Long term Dermal	128.9 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	43.97 mg/m ³	Workers	Systemic
	DNEL	Long term Dermal	55.2 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Inhalation	9.4 mg/m ³	Consumers	Systemic
	DNEL	Long term Oral	55.2 mg/kg bw/day	Consumers	Systemic
	DNEL	Short term Oral	55.2 mg/kg bw/day	Consumers	Systemic

SulphurCut Prilled 22-4-14 +7.5%SO3

Calcium fluoride DNEI (CaF2)	Long term Inhalation	5 mg/m³	Workers	Systemic
---------------------------------	-------------------------	---------	---------	----------

PNECs

Product/ingredient	Туре	Compartment Detail	Value	Method Detail	
ammonium nitrate	PNEC	Sewage Treatment	18 mg/l	Assessment Factors	
potassium nitrate	PNEC	Sewage Treatment Plant	18 mg/l	Assessment Factors	
ammonium chloride	ride PNEC	Fresh water	0.25 mg/l	Assessment Factors	
	PNEC	Marine water	0.025 mg/l	Assessment Factors	
	PNEC	Intermittent release	0.43 mg/l	Assessment Factors	
	PNEC	Soil	50.7 mg/kg dwt	Assessment Factors	
Calcium fluoride (CaF2)	PNEC	Fresh water	0.9 mg/l	Assessment Factors	
PNEC	Soil	11 mg/kg dwt	Assessment Factors		
	PNEC	Sewage Treatment Plant	51 mg/l	Assessment Factors	

8.2 Exposure controls

Γ

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measures Hygiene measures	:	A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended : Tightly-fitting goggles, CEN: EN166,
Skin protection Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material.
Body protection	:	Personal protective equipment for the body should be
Date of issue : 29.04.2020		Page:8/20

selected based on the task being performed and the risks involved.

Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Personal protective equipment		

Personal protective equipment (Pictograms)



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u> Physical state		Solid (prills)
Color	11	Gray.,
Odor	11	Odorless.
Odor threshold	-	Not determined.
pH	-	4.5 [Conc.: 100 g/l]
pri		
Melting point/freezing point	:	Decomposes: 160 °C
Initial boiling point and boiling	1	Not determined
range		
Flash point	1	Not determined
Evaporation rate	1	Not determined
Flammability (solid, gas)	1	Non-flammable.
Upper/lower flammability or	1	Lower: Not determined
explosive limits		Upper: Not determined
Vapor pressure	1	Not determined
Vapor density	1	Not determined
Relative density	÷.,	Not determined
Bulk density	-	Not determined
		Not determined Soluble in the following materials:
Bulk density		Not determined
Bulk density Solubility(ies)		Not determined Soluble in the following materials: cold water
Bulk density Solubility(ies) Partition coefficient: n-		Not determined Soluble in the following materials:
Bulk density Solubility(ies) Partition coefficient: n- octanol/water		Not determined Soluble in the following materials: cold water Not determined
Bulk density Solubility(ies) Partition coefficient: n- octanol/water Auto-ignition temperature	:	Not determined Soluble in the following materials: cold water Not determined Not determined
Bulk density Solubility(ies) Partition coefficient: n- octanol/water		Not determined Soluble in the following materials: cold water Not determined Not determined Dynamic: Not determined.
Bulk density Solubility(ies) Partition coefficient: n- octanol/water Auto-ignition temperature Viscosity	:	Not determined Soluble in the following materials: cold water Not determined Not determined Dynamic: Not determined. Kinematic: Not determined.
Bulk density Solubility(ies) Partition coefficient: n- octanol/water Auto-ignition temperature Viscosity Explosive properties	:	Not determined Soluble in the following materials: cold water Not determined Not determined Dynamic: Not determined. Kinematic: Not determined. Non-explosive.
Bulk density Solubility(ies) Partition coefficient: n- octanol/water Auto-ignition temperature Viscosity	:	Not determined Soluble in the following materials: cold water Not determined Not determined Dynamic: Not determined. Kinematic: Not determined.

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	Avoid contamination by any source including metals, dust and organic materials.
10.5 Incompatible materials	:	alkalis combustible materials, reducing materials, organic materials, Acids
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

<u>11.1 Information on toxicological effects</u>

Acute toxicity

Product/ingredie	Method	Species	Result	Exposure	References
nt name		-		-	
ammonium nitrate					
	OECD 401	Rat	2,950 mg/kg	Not	CSR
	LD50 Oral			applicable.	
	OECD 402	Rat	> 5,000 mg/kg	Not	CSR
	LD50 Dermal			applicable.	
potassium nitrate					
	LD50 Oral	Rat	2,000 - 5,000	Not	CSR
			mg/kg	applicable.	
	LD50 Dermal	Rat	> 5,000 mg/kg	Not	CSR
				applicable.	
ammonium chloride	Э				
	LD50 Oral	Rat	1,410 mg/kg	Not	CSR
				applicable.	
	LD50 Dermal	Rat	> 5,000 mg/kg	Not	IUCLID
				applicable.	
Calcium fluoride (C	aF2)				
	LD50 Oral	Rat	> 2,000 mg/kg	Not	ICULID 5
				applicable.	
	OECD 403	Rat	5.07 mg/l	4 h	ICULID 5
	LC50 Inhalation				
calcium oxide					
	LD50 Oral	Rat	> 5,000 mg/kg	Not	IUCLID
				applicable.	
	LD50 Dermal	Rabbit	> 2,500 mg/kg	Not	IUCLID
				applicable.	

Conclusion/Summary

No known significant effects or critical hazards.

Acute toxicity estimates

Route	ATE value
Oral	19,861.2 mg/kg

Irritation/Corrosion

Product/ingredient name	Method	Species	Result	Exposure	References
ammonium nitrate					
	OECD 405 Eyes	Rabbit	Irritant		CSR
potassium nitrate					
	OECD 404 Skin	Rabbit	Non- irritating.		IUCLID 5
ammonium chloride				·	
	Eyes	Rabbit	Irritant		CSR

Conclusion/Summary	
Skin :	No known significant effects or critical hazards.
Eyes :	Causes serious eye irritation.
Respiratory :	No known significant effects or critical hazards.

2

1

Sensitization

Product/ingredient name	Method	Species	Result	References
ammonium nitrate				
	OECD 429 Skin	Mouse	Not sensitizing	

Conclusion/Summary Skin

Respiratory

No known significant effects or critical hazards.

No known significant effects or critical hazards. 2

Mutagenicity

Product/ingredient name	Method	Test detail	Result	References
ammonium nitrate			·	
	OECD 473 OECD 471	MammalianToxicity -Genotoxicity - Invitro MammalianChromosomeAberration Test orMammalian BoneMarrowChromosomalAbberation Testor MammalianErythrocyteMicronucleusTestIn vitroBacteria	Negative	IUCLID
		In vitro		
Date of issue : 29.04.2	2020			Page:11/20

Conclusion/Summary

: No known significant effects or critical hazards.

Carcinogenicity

Conclusion/Summary

: No known significant effects or critical hazards.

Reproductive toxicity

Product/ingredient	Method	Species	Result	Exposure	References
name ammonium nitrate					
	OECD 422 Oral	Rat	Fertility effects- Negative Developmental- Negative NOAEL > 1500 mg/kg bw/day	28 days	CSR
ammonium chloride	Oral	Rat	Fertility effects-	-	IUCLID 5
			Negative Developmental- Negative 1500 mg/kg bw/day		
Conclusion/Summary	: N	lo known sigr	nificant effects or cri	tical hazards.	
Information on the likel routes of exposure:	l y : №	lot available.			
Potential acute health e	effects				
Inhalation	ł		ecomposition produ us effects may be de		
Ingestion	: Irritating to mouth, throat and stomach.				
Skin contact	: No known significant effects or critical hazards.				
Eye contact	: Causes serious eye irritation.				
Symptoms related to th	ne physical, che	emical and to	oxicological charac	cteristics	
Inhalation Ingestion Skin contact Eye contact	: N : N : A		ta.	he following: p	ain or
Delayed and immediate Short term exposure	effects and als	so chronic ef	fects from short a	nd long term	<u>exposure</u>
Potential immediate eff	ects : N	lo known sigr	nificant effects or cri	tical hazards.	
Potential delayed effect	ts : N	lo known sigr	nificant effects or cri	tical hazards.	
Long term exposure Potential immediate eff	ects : N	lo known sigr	nificant effects or cri	tical hazards.	
	20				1

Potential delayed effects : No known significant effects or critical hazards.

Potential chronic health effects

Product/ingredient	Method	Species	Result	Exposure	References
name					
ammonium nitrate					
	OECD 422 Chronic NOAEL Oral	Rat	256 mg/kg	28 days	CSR
	OECD 412 Sub-acute NOEC Inhalation	Rat	> 185 mg/m³	2 weeks 5 hours per day	CSR
ammonium chloride					
	Sub-chronic NOAEL Oral	Rat	1,695 mg/kg	13 weeks Repeated dose; 7 days per week	CSR

Carcinogenicity	1	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Effects on or via lactation	:	No known significant effects or critical hazards.
Other effects	:	No known significant effects or critical hazards.
Other information	:	Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingred ient name	Method	Species	Result	Exposure	References
ammonium nitrate	Э				
	Acute LC50 Fresh water	Fish	447 mg/l	48 h	CSR
	Acute EC50 Fresh water	Daphnia	490 mg/l	48 h	CSR
	Acute EC50 Salt water	Algae	1,700 mg/l	10 d	CSR
potassium nitrate					
	OECD 203 Acute LC50 Fresh water	Fish	> 100 mg/l	96 h	CSR
	Acute EC50 Fresh water	Daphnia	490 mg/l	48 h	CSR
	Acute EC50	Algae	> 1,700 mg/l	240 h	CSR

	Fresh water				
ammonium chlorid	de	·			
	OECD 202	Daphnia	136.6 mg/l	48 h	CSR
	Acute EC50				
	Fresh water				
	Acute EC50	Algae	1,300 mg/l	5 d	CSR
	Fresh water				
Calcium fluoride (CaF2)				
	Acute EC50	Water flea	26 mg/l	96 h	IUCLID 5
	Fresh water				
	Acute EC50	Water flea	10.5 mg/l	96 h	IUCLID 5
	Marine water				
	Acute EC50	Algae	43 mg/l	96 h	IUCLID 5
	Fresh water				
	Acute EC50	Algae	81 mg/l	96 h	IUCLID 5
	Marine water				
calcium oxide					
	OECD 203	Rainbow	50.6 mg/l	96 h	IUCLID
	Acute LC50	trout,donaldso			
	Fresh water	n trout			
	OECD 202	Daphnia	49.1 mg/l	48 h	IUCLID
	Acute EC50		-		
	Fresh water				

Conclusion/Summary

No known significant effects or critical hazards.

12.2 Persistence and degradability

Conclusion/Summary

: No known significant effects or critical hazards.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential		
ammonium chloride	-3.2	Not applicable.	low		
Conclusion/Summary	: N	o known significant effects or	critical hazards.		
12.4 Mobility in soil					
Soil/water partition coe (KOC)	f icient : N	ot available.			
Mobility	: N	Not available.			
12.5 Results of PBT and	l vPvB assessm	ent			
РВТ	: N	ot applicable.			
vPvB	: N	ot applicable.			
12.6 Other adverse effe	<u>cts</u> : N	o known significant effects or	critical hazards.		

SECTION 13: Disposal considerations

2

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.

European waste catalogue (EWC)

Waste code		Waste designation
06 10 02*		wastes containing hazardous substances
Packaging Methods of disposal	when Incin recyo remo may	generation of waste should be avoided or minimized rever possible. Waste packaging should be recycled. eration or landfill should only be considered when cling is not feasible. Empty the bag by shaking to ove as much as possible of its contents. Empty bags be disposed of as non-hazardous material or med for recycling.
Special precautions	safe Care that Emp resic Avoi	material and its container must be disposed of in a way. e should be taken when handling emptied containers have not been cleaned or rinsed out. ty containers or liners may retain some product lues. d dispersal of spilled material and runoff and contact soil, waterways, drains and sewers.

SECTION 14: Transport information

Regulation: ADR/RID			
14.1 UN number	Not regulated.		
14.2 UN proper shipping name	Not applicable.		
14.3 Transport hazard class(es)	Not applicable.		
14.4 Packing group	Not applicable.		
14.5 Environmental hazards	No.		
Additional information			

Regulation: ADN	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.

14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
Danger code	: Not applicable.

Regulation: IMDG	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
Marine pollutant	: No.

Regulation: IATA		
14.1 UN number		Not regulated.
14.2 UN proper shipping name		Not applicable.
14.3 Transport hazard class(es)		Not applicable.
14.4 Packing group		Not applicable.
14.5 Environmental hazards		No.
Additional information <u>Marine pollutant</u>	:	No.
Remark	:	A NPK fertilizer not liable to self-sustaining exothermic decomposition according to the S.1 trough test as defined in the recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, part III, section 38. Reference to ADR special provision 307 regarding ammonium nitrate based fertilizer.
14.6 Special precautions for user	:	Transport within user's premises: Ensure that persons transporting the product know what to do in the event of an accident or spillage.
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	:	Not applicable.
14.8 IMSBC		
Bulk cargo shipping name Class	:	AMMONIUM NITRATE BASED FERTILIZER (non- hazardous) Not applicable.
Group Marpol V	÷	C Non-HME

SECTION 15: Regulatory information

<u>15.1</u> Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization Annex XIV: None of the components are listed.

Substances of very high concern: None of the components are listed.

EU Regulation (EC) No. 1907/2006 (REACH) Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Applicable, Table 58, 65.
Other EU regulations Europe inventory	:	All components are listed or exempted.
Ozone depleting substances (1 None of the components are list		<u>/2009/EU)</u>
Prior Informed Consent (PIC) (None of the components are list		<u>2012/EU)</u>
Seveso Directive This product is not controlled un	der	he Seveso Directive.
Other regulations	:	This product is subject to Regulation (EU) 98/2013, all suspicious transactions, disappearances and thefts should be reported to the relevant authority.
National regulations		
Biocidal products regulation	:	Not applicable.
Notes	:	To our knowledge no other country or state specific regulations are applicable.
15.2 Chemical Safety Assessment	:	Complete.

SECTION 16: Other information

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level DMEL = Derived Minimal Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group PBT = Persistent, Bioaccumulative and Toxic
Date of issue : 29.04.2020	Page:17/20

vPvB = Very Persistent and Very Bioaccumulative bw = Body weight

 Key data sources
 :
 EU REACH ECHA/IUCLID5 CSR. National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical Substances. Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec HAR 2P9, Canada. Regulation (EC) No 1272/2008 Annex VI.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Eye Irrit. 2, H319	Calculation method

Full text of abbreviated H statements

H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Full text of classifications [CLP/GHS]

Ox. Sol. 3, H272	OXIDIZING SOLIDS - Category 3
Acute Tox. 4, H302	ACUTE TOXICITY (oral) - Category 4
Skin Irrit. 2, H315	SKIN CORROSION/IRRITATION - Category 2
Eye Dam. 1, H318	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
STOT SE 3, H335	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)
	(Respiratory tract irritation) - Category 3

Revision comments		following sections contain new and updated mation: 2, 3, 8, 11.
Date of printing	:	08.02.2021
Date of issue/ Date of revision	:	29.04.2020
Date of previous issue	:	06.11.2018
Version	:	4.0
Prepared by	:	Yara Chemical Compliance (YCC).
Indicates information that h	nas change	d from previously issued version.

Notice to reader

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as at the date of its issue. The information it contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other material(s) or when used otherwise than as described herein, since all materials may represent unknown hazards and should be used with caution. Final determination of the suitability of any material is the sole responsibility of the user.



Annex to the extended Safety Data Sheet (eSDS) -Exposure Scenario/Safe Use Information:

Identification of the substance or mixture Product definition : Mixture		
Product name	:	SulphurCut Prilled 22-4-14 +7.5%SO3
Exposure Scenario/Safe Use Information	:	Exposure Scenarios are not attached for corrosive or irritant hazards, relevant information on safe use is included in section 8.

SulphurCut Prilled 22-4-14 +7.5%SO3